RPG Times



Winter 1998

A Publication of the Roots Plus Field-Growers Association of Florida

Roots Plus Growers

Our History and Our Future

Four years ago, growers of quality field-grown trees from around the state formed the Roots Plus Field-Growers Association of Florida (RPG). The founding members were looking for a way to distinguish quality hardened-off field-grown trees from the poorquality trees that were being put on landscape jobs throughout the state.

They decided to do this first and foremost by guaranteeing the consumer they were buying a quality hardened-off field-grown tree. When we say quality we are not only referring to what you can see above the ground but also the root system belowground.

Quality field-grown trees should be hardened-off, or cured, after harvesting. This hardening-off process lasts 3 to 4 weeks and it simply involves providing the tree with optimum irrigation during the few weeks after harvesting. This step, as simple as it may

seem, is crucial to the health and survivability of the tree. After the tree is hardened-off it is ready to ship to the landscape site. New roots that have begun to develop are ready to grow immediately into the landscape. These new roots growing outside of the burlap are a sign of quality. RPG members place tags on their trees reminding you to

ROOTS
PLUS

GROWERS**

This "ROOTS PLUS GROWERS" tag assures you of a quality tree that has been nursery grown and completely hardened off, with visible roots on the outside of the rootball.

If you do not see roots, please call the ROOTS PLUS FIELD GROWERS ASSOCIATION OF FLORIDA:

look for roots outside of the burlap. The RPG tag assures that you are planting a quality hardened-off tree.

Parts two and three of our mission are to share new ideas to continually improve tree quality and to sponsor research and educational programs. The association meets quarterly to discuss new ideas and they have hosted educational programs on pruning for the new grades and standards and proper handling of trees. Members of the association are also very active in sponsoring research

at the University of Florida.

The RPG Times is the new quarterly newsletter of the Roots Plus Field-Growers Association of Florida. The newsletter is intended to inform our friends of what is happening within the industry and with RPG. This will include articles on new research, tree planting tips, your favorite tree nursery, industry events and much more. We hope you enjoy the RPG Times and don't hesitate plet us know if you have topics you would like to



see addressed in future issues.

RPG Times, Winter 1998

Field-grown Trees

Just the Facts

Field growing and transplanting of trees has been practiced for thousands of years. Newer systems for growing and transplanting trees, such as container production, have been introduced during the last fifty years. These two different production methods have both proven capable of producing high quality landscape trees. However, field-grown trees have received negative publicity for having low survival rates and being of poor quality in general. Research from the University of Florida and other universities has proven this untrue.

A field-grown tree is planted into native soils, grown to a harvestable size, harvested prior to sale, and transported to the job site. Fieldgrown trees are referred to as balled and burlapped (B&B) because the root system is harvested and wrapped in burlap. Trees are frequently placed in wire baskets to support the root system and to make it possible to lift the tree by the root ball rather than the trunk. Research has shown that tree roots are not girdled by the wire basket, instead the roots grow around the wire and the xylem tissues reconnect, likely having very little influence on the effectiveness of the root. Trees in a field-grown nursery are often maintained with drip irrigation, fertilizer, selective shoot pruning, and root pruning (be sure to read about root pruning on page 3). Root pruning, drip irrigation and fertilizer help build a strong, dense root system, while

selective pruning is used to guide the tree into the desired form. Field-grown trees should be

Roots on container-grown
trees regenerated slower than
the field-grown trees...
and
...field-grown trees grew
more than container-grown
trees the first year
after planting.

hardened-off or cured after harvesting. This means providing the tree with optimum irrigation during the first few weeks after harvesting. During this 3 to 4 week

and water stress of field-grown and container-grown trees after transplanting. In this study, roots on container-grown trees grew slower than the field-grown trees. Also, field-grown trees grew more than container-grown during the first fourteen weeks and one year after transplanting. When irrigation was discontinued, the container-grown trees were more stressed than the field-grown trees.

Research comparing root area and root number of field-grown and container-grown trees has been done on live oak. After three years of growing in the landscape,





Field-grown (left) and container-grown (right) root systems during excavation at the University of Florida. This research project and others are supported by RPG members.

period the plant regenerates roots to replace any roots cut during harvesting. After the tree is hardened-off the newly generated roots that have begun to develop are ready to grow immediately into the landscape.

University of Florida research on laurel oak and holly (Gilman and Beeson, 1996) compared growth field-grown trees had more root area and root number than container-grown trees (Marshall and Gilman, 1997)[see photos below]. References

Gilman, E. F. and R. C. Beeson, Jr. 1996. Nursery production method affects root growth. Journal of Environmental Horticulture. 14:81-87.

Marshall, M. D. and E. F. Gilman.

1997. Production method and irrigation affect root morphology of live oak. Journal of Environmental

Transplanting Tips - Irrigation

Two surveys done in the United States and Northern England both showed that the most common cause of poor urban tree growth and mortality of newly planted trees involves Water!

Water is probably the most important factor in the health and survival of a newly transplanted plant. Research done in Florida has given us some guidelines to follow regarding the amount and the frequency with which newly transplanted trees should be irrigated.

Where:

Water should be applied so that it penetrates the rootball and doesn't run off the sides.

How much:

1.5 to 3.0 gallons of water per inch of trunk diameter per irrigation.

How often:

Every day for the first 2 weeks, then every other day for 2 months, then 1-2 times per week for 1 year.

Nursery Spotlight Stewart's Tree Service

Stewart's Tree Service, owned and operated by Jimmy Stewart, has been supplying quality trees to the landscape industry since 1974. Jimmy started his business by digging queen palms and selling them to local retail nurseries. His nursery has grown to have 300 acres in production and 12 full time employees. From his early days Jimmy has always been committed to increasing the

quality and livability of trees. This commitment to quality is one of the many reasons Stewart's Tree Service won the 1997 FNGA Grower of the Year Award.

Stewart's Tree Service 1997FNGA Grower of the Year opment and Stewart's

Tree Service were

quality is by planting cultivars such as 'D. D. Blanchard' Magnolias and even a new cultivar of Live oak. Stewart's Tree Service was one of the founding members of the Roots Plus Growers Association of Florida. His concern for selling the consumer the best quality tree possible was the main reason for helping start RPG. Stewart's Tree Service, along with all RPG members, is constantly

One way Jimmy is increasing

In the 24 years Jimmy has been in business he has had the opportunity to put trees on many high profile jobs. One such job is the

of trees on landscapes.

Arbor Greene development in Tampa. The development is known as a Florida Quality Development and is one of only two such developments in Hillsborough County. Arbor

Greene was named a Florida

Quality Development for its commitment to habitat preservation. water management, and environmental education. The devel-


praised in a St. Petersburg Times article for the quality of the landscape and materials. Jimmy has had the opportunity to send trees to other high profile jobs such as Hulk Hogan's home in Clearwater, Disney World, and he supplies many of the trees to Seaworld.

Stewart's Tree Service is a family run business, with 8 of the 12 full time employees being family members. Jimmy's daughter Stacey works in the business and his sons Jamie, Randy, and Rusty all started working for their dad

after high school.

Nursery Notes **Root Pruning**

Root pruning is an important horticultural technique practiced in quality field-grown nurseries. It is the cutting of roots during production to increase root density in the harvested root ball. When a root is pruned or cut, new roots develop from the cut end. The result is an increase in the number of



fine roots.

The importance of root pruning, a process that has been in existance for many years, has long been debated. There has not been a tremendous amount of research done on this topic; however, what has been done shows a substantial benefit to root pruning. Research on live oak found that root pruning causes a 6-fold increase in the density of fine roots in the root ball (Gilman and Yeager, 1987).

References

Gilman, E. F. and T. H. Yeager. 1987. Root pruning Quercus virginiana to promote a compact root system.

Proceedings of the SNA Research Conference. 32:339-341.

Roots Plus Growers Availability Winter - Spring 1998

| <i>Acer rubrum</i> Red Maple | | <i>Taxodium distichum</i> Bald Cypress | |
|--|-------------------------|--|-------------------------|
| Marshall Tree Farm Marshall Tree Farm | 2" 8-10' 2 ½" 10-12' | Arborgate Farms Tree Control | 8-10' 10' |
| Cornus florida | | Tree Control | 12' |
| Dogwood | | Quercus hemisphaerica | |
| Marshall Tree Farm | 2" 8-10' | Laurel Oak | |
| Cura- | | Marshall Tree Farm | 2 ½" 10-12 |
| <i>Cycas revoluta</i> King Sago | | Marshall Tree Farm Marshall Tree Farm | 3" 12-14' 3 ½" 14-16 |
| | 20, 20" | Tree Control | 3" |
| Arborgate Farms | 30x30" | Tree Control | 3 ½" |
| <i>Ilex</i> x <i>attenuata</i> 'East | Palatka' | Tree Control Tree Control | 4" 4 ½" |
| East Palatka Holly | | Tree Control | 5" |
| Marshall Tree Farm | 8-10' | Tree Control | 6" |
| Marshall Tree Farm | 10-12' | W.E. Jones Tree Farm W.E. Jones Tree Farm | 2 2 |
| Marshall Tree Farm | 12-14' | W.E. Jones Tree Farm W.E. Jones Tree Farm | 3 |
| W.E. Jones Tree Farm | 8-10' | W.E. Jones Tree Farm | 3 |
| W.E. Jones Tree Farm W.E. Jones Tree Farm | 10-12' 12-14' | W.E. Jones Tree Farm | 4 |
| W.E. Jones Tree Lum | 12 11 | Oueraus virginians | |
| Juniperus silicicola | | <i>Quercus virginiana</i> Live Oak | |
| Southern Red Cedar | | | |
| Stewart's Tree Service | 10-25' | Arborgate Farms Arborgate Farms | 3" 3 ½" |
| Tree Control | 10' | Champions Tree Farm | 12' |
| Tree Control | 12' | Champions Tree Farm | 13' |
| Lagerstroemia indica | | Champions Tree Farm | 14' |
| Lagerstroemia indica Crape Myrtles | | Champions Tree Farm | 15' |
| • | | Champions Tree Farm Champions Tree Farm | 16' 18' |
| Marshall Tree Farm | 8-10' | Champions Tree Farm | 20' + |
| 'Muskogee', 'Sioux', 'Tuscarora' Marshall Tree Farm | 10-12' | Marshall Tree Farm | 2" 8-10' |
| 'Muskogee' | 10 12 | Marshall Tree Farm | 2 ½" 10-12 |
| | | Marshall Tree Farm Marshall Tree Farm | 3" 12-14' 3 ½" 14-16 |
| Magnolia grandiflora | | Stewart's Tree Service | 2 1/2" |
| Southern Magnolia | | Stewart's Tree Service | 3" |
| Marshall Tree Farm | 10-12' | Stewart's Tree Service | 3 ½" |
| Marshall Tree Farm | 12-14' | Stewart's Tree Service | 4" |
| Marshall Tree Farm | 14-16' 16-28' | Stewart's Tree Service Stewart's Tree Service | 4 ½" 5" |
| Marshall Tree Farm Stewart's Tree Service | 16-28' 10-16' | Stewart's Tree Service | 5 ½" |
| Tree Control | 10' | Stewart's Tree Service | 6-12" |
| Tree Control | 12' | Tree Control | 3" |
| W.E. Jones Tree Farm | 10-12' | Tree Control | 3 ½" |
| W.E. Jones Tree Farm W.E. Jones Tree Farm | 12-14' | Tree Control Tree Control | 4" 4 ½" |
| w.E. Jones Tree Farm | 14-16' | Tree Control | 5" |
| Myrica cerifera | | Tree Control | 5 ½" |
| Wax Myrtle | | Tree Control | 6-10" |
| Arborgate Farms | 6-8' | W.E. Jones Tree Farm | 2 2 |
| Alborgate Fallis | 0-0 | W.E. Jones Tree Farm W.E. Jones Tree Farm | 3 |
| Pinus elliottii | | W.E. Jones Tree Farm | 3 |
| Slash Pine | I | W.E. Jones Tree Farm | 4 |
| | 0.401 | | |

Specifications expressed as inches, for example 2", refers to trunk diameter. Those expressed as feet, for example 8-10', apply to overall height. Specifications for King Sago apply to overall size in inches.

RPG Times, Winter 1998

Marshall Tree Farm

8-10'

MEMBERS

Arborgate Farms

Odessa - 813-920-8325

Champions Tree Farm

Gainesville 352-375-6001

Marshall Tree Farm

Morriston 800-786-1422

Stewart's Tree Service

Brooksville 352-796-3426

Tiger Lake Nursery

Lake Wales - 941-692-1009

Tree Control

Brooksville _ 352-796-5898

W.E. Jones Tree Farm

Land O' Lakes - 813-996-2177

ASSOCIATE MEMBERS

Arbor Greene Land Development Braun Horticulture Caretree Systems Jack Siebenthaler Jenkins Landscape Ricketts Bag and Nursery Supply Seaworld **Treemart**

The Roots Plus Field Growers Association of Florida is a member of following professional organizations







RPG Information

If you would like more information about the Roots Plus Field-Growers Association of Florida please complete the following and return it to:

> Roots Plus Growers 17250 OF 654 O

| | 1/350 SE ostri Street | | | |
|--|---|-------------------------|--|--|
| | Morriston, FL | 32668 | | |
| | ase add me to your mailing list ase send me information on the following: | | | |
| | Tree Transplanting Research | Tree Transplanting Tips | | |
| | RPG Membership | Other | | |
| 60/46 40 18 18 40 18 18 40 18 18 18 18 18 18 18 18 18 18 18 18 18 | Name | | | |
| gerhaldskrieningsvideskriedskr | <u>Firm</u> | | | |
| | Address | | | |
| | City / State / Zip | | | |
| · | Phone Fax | | | |

RPG Times. Winter 1998

RPG TIMESline

March 6 & 7th Tampa Spring Expo

Florida State Fairgrounds, Tampa

Come visit us at the Roots Plus Growers booth #423

The next RPG meeting will be held in conjuction with the Tampa Spring Expo if you are interested in attending please call for details.

The RPG Times is written and edited by Michael Marshall.

If you have any input, questions, or comments

March 19th

Florida Chapter International Society of Arboriculture, Tree Grades and Standards Seminar, Broward County Extension Office, Davie

April 2nd

Florida Chapter ISA, Tree Grades and Standards Seminar, Manatee County Extension Office, Sarasota

April 19-21st

Southern Chapter ISA Conference & Trade Show, Tradewinds Resort, St. Pete Beach

This Summer

Florida Chapter ASLA Conference, Palm Beach

August 7-9th

Southern Nurserymen's Association Trade Show, World Congress Center, Atlanta

August 19-21st

Florida Urban Forestry Council Conference, Sundial Resort, Sanibel

September 10-12th

FNATS, Orange County Convention Center, Orlando

him at 352-528-3880.



17350 SE 65th Street Morriston, FL 32668

